



宁波天一化工有限公司


Ningbo TianYi Chemical Industrial(T.C.I) Co., Ltd

地址：浙江省宁波市会展路 181 号 Add: No.181,HuiZhan Road ,Ningbo city, China 315000

电话：(Tel)86-574-87990349， 传真 (Fax) :86-574-88193499 邮编 (P.C) :315300

http://www.rubbersealing.com E-mail: sales@rubbersealing.com , MSN: towerpacking@hotmail.com

PTFE expansion joint 3 convolutes



Part No.	Nominal Size (I.D.)	A†		B	C	Maximum Misalignment*	Weight (Lbs.)
		Neutral Length	Maximum Travel ±				
TCI025	1"	1-3/4"	1/2"	2"	1-57/64"	1/4"	2
TCI040	1-1/2"	2"	1/2"	2-7/8"	2-35/64"	1/4"	4
TCI050	2"	2-3/4"	3/4"	3-5/8"	3-13/32"	3/8"	8
TCI065	2-1/2"	3-3/16"	3/4"	4-1/8"	3-13/16"	3/8"	11
TCI080	3"	3-5/8"	1"	5"	4-41/64"	1/2"	13
TCI100	4"	3-5/8"	1"	6-3/16"	5-11/16"	1/2"	19
TCI125	5"	4"	1"	7-5/16"	6-5/8"	1/2"	25
TCI150	6"	4"	1-1/8"	8-1/2"	8"	9/16"	30
TCI200	8"	6"	1-1/8"	10-5/8"	10-5/16"	9/16"	48
TCI250	10"	6"	1-1/2"	12-3/4"	12-1/4"	1"	75
TCI300	12"	6"	1-1/2"	14-7/8"	14"	1"	110

† This is an installation dimension; not a limit bolt setting.

* At neutral length with limit bolts in place.

Note: Angular Deflection approx. 14 degrees.

Maximum (axial) travel is based on installation with no misalignment or angular deflection.


Non-Shock Working Pressure Vs. Temperature R6905 Joint



地址：浙江省宁波市会展路 181 号 Add: No.181,HuiZhan Road ,Ningbo city, China 315000

电话：(Tel)86-574-87990349， 传真 (Fax) :86-574-88193499 邮编 (P.C) :315300

http://www.rubbersealing.com E-mail: sales@rubbersealing.com , MSN: towerpacking@hotmail.com



Vacuum Data: See Below